

Balshakov, G. P.

Effect of the Hydrogen Structure of Fuels on the
Composition of Deposits Resulting from Oxidation
NEFTYPERERAB TKA I NEFTYERGINIYA, n. 9, 1967, p. 24-27
LUFT LUFT-198

Olkhov, G. Ya.

Viscosity Breaking of Flux Oil

NEFTEPERERABOTKA I NEFTEKHIMIYA, n. 12, 1967, p. 1-3

LUT-100

Galperin, S. M.

Desalting of Arlansk Crude Oil

НЕПРЕПРАВКА И НЕПРЕКЛЮЧЕНИЯ, n. 12, 1967, p. 3-7

ЛУПТ

ЛУПТ-194

Ya. M. Mutriskov

Oxidation of isopropylbenzene in a foam bed.
NEFTEPERERABOTKA I NEFTEKHIMIYA, No 9, 1969, pp 39-41
NTC 73-10890-07A

may 73

Lizumovich, A.G. et al

Catalytic Pyrolysis of Casinghead Gasoline in
a Bench Unit.

NEFTPERERAB. NEFTEKHIM., 1970, No.1, pp.20-2.

A.T.S RJ-5844

Filimonov, V.A. et al.

The Rates of Reaction of Individual Groups of
Hydrocarbons in Hydrocracking.
NEFTEPERERAB. NETTEKHIM., 1970, No.10, pp.4-7.
A.T.S. RJ-5845

Incident, R. E.

Isolation of the multiplying properties of Libriocin

ИЗДАНИЕ: 1970, № 12, стр. 4-6

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

Kochkin, G.I.

Adsorption of Additives from Oils of Various
Chemical Composition and its Connection with
Antiwear Properties

8 pp

NEFTEPERERABOTKA I. NEFTEKHIMIYA No 1, 1971 pp 21-22

FSTC-HT-23-1634-72

ACSI-K-2225

Pinkovskii, Ya. I. et al

Analysis of the Performance of the Electrolytic
Desalting Section of a Combined Electrolytic
Desalting Unit and Atmospheric Vacuum Pipe Still
Plant of the A-12/9 Type.

NEFTEPERERAB. NEFTEKHIM. (Moscow) 1971, No 2,
pp. 45-7.

A.T.S. RJ-5866

Tanatarov, H.A. et al

The Role of Sulfidization of an Alumina-Cobalt-Molybdena Catalyst in the Hydrorefining of Thermally Cracked Gasoline.

NEFTEPERERAB. NEFTEKHIM., 1971, No.6, pp.5-6.

A.T.S RJ-5843

Katsodasvili, Ya. R. et al

Adoption of a Method of Production of Microspherical Alumina and Alumina Catalysts by Spray Drying in a Semicommercial Plant at the Angar Petrochemical Combine.

NEFTEPERERAB. NEFTEKHIM. (Moscow), 1971, No.6, pp.43-4.

A.T.S RJ-5842

Safronov, V. B.

Investigation of high conversion degree of benzene
dehydration process under conditions of an
industrial adiabatic reactor.

FIZIKHEMISTRA I KHIMIIA, No 1, 1972, pp 37-40
NRC 71-34913 1402-07A

Kalechits, D. V.

Investigation of the mechanism of autocracking of
durene by means of labeled atoms

NEFT'FEREGABOTKA I NEFT'EXIMTEZA. NAUCHNO-TEKHNICHESKII

CHOPNIK, n. 6, 1968, pp. 31-33

NTC 73-12843-07A

Rheological Characteristics of Greases and the Main
Principles of Their Movement in Tubes, by

A. I. Nakorchevskiy, 12 pp.

NETEPEPERERABOTKA I NEFTEKHIMIYA, RESPUBLIKANSKIY

MEZHVELOMSTVENNIY SBORNIK, No 4, 1971, pp 81-89.

ARM/FSTC/HT-23-248-73

May 73

Koshalev, V. S.

Experimental determination of the equilibrium
conditions of hydrate formation of an ethylene-
ethane mixture.

НЕФТЕПЕРАБОТКА И НЕФТЕХИМИЯ, n. 3, 1971,

p. 24-26

ETC 73-11416-070

Nazarov, V.

Mathematical description of the formation of acids and deposits on engine pistons and rings in oils of various hydrocarbon composition.

NEFTEPERERABOTKA I NEFTEKHIMIYA, n. 11, p. 14-17, 1971

TC-12718

ISANV, B. N.

Analysis of the Operation of an Electrical
Desalting Unit in a High Efficiency Atmospheric Unit
НЕПРЕПЕРВАЮЩАЯ И НЕПРЕРЫВНАЯ, no. 1, pp. 13-14, 1972
NTC 73-10121-07A

March 73

SOKOLINA, I. F.

//NEFTEPERERABOTKA I NEFTEKHMIIYA//

--/--/1972,V----,NOC03,

Investigation of the Solubility of Ethyl Mercaptan
in Alkali Solutions Containing Different Additives,
IP 40-41,NTC 74-10631-07A@@

MEHOZOV, B. F.
//REFERRERATONIA I MEFERENTIA//
--/1972, V---, NO004,
Accumulation of Metals on the Surface of a Cracking
Catalyst,
EP 7-9, NTC 74-11317-07AGG

ERAVESKOV, E. A.
//NETTIPERERABOERA (NETTAKHIMITYA)//
---/1972, V. ---, NO 08,
Effect of the Conditions of Potassium Zeolite
Regeneration on the Indices of Pyrolysis Gas Drying,
UD 22-32, WTC 71-11253-07A68

WHEELIN, VA. A.


---/02/1974, Y---, "0009, pr 0005-0007

Oil Refining Waste Waters Purified Biochemically

5 pp

JETS 62526

"



Mishchenko, I.M.
Separation of Gas at the Intake of a Submergi-
ble Centrifugal Pump.
NEFTEPROM. DELO, 1969, No. 10, pp.7-10.
A.T.S. RJ-5991

MANEDOV, M. F.
//INSTITUT KHEMIYA I NEFTEKHEMIYA. MOSCOW//
---/1972, V---, NO 003,
The Preparation of Water-Soluble Polymers Based
on an Acrylonitrile Polymer,
PP 37-39, ITC 74-10470-11106

Kozhakin, S.V.

Statistical Study of Oil Recovery from the
Fields of the Ural Volga District in the Late
Stages of Exploitation.
NEFTEPROM. DELO, 1972, No. 7, pp. 6-11.
A.T.S. RO&GB 979

Shustev, I.N. et al

Changes in the Effective Thickness of a Formation and Their Effect on the Productivity of Producing and Injection Wells (On the Example of Fields in the Perm District).

NEFTEPROM. DELO, 1972, No.7, pp.12-17.

A.T.S. ROEG8 980

Vagapov, Yu. G.

The Problem of Choosing the Pumping Conditions
for **Downhole** Pumping Units Run on Hollow Rods.
NEFTEPROM. DELO, 1972, No.7, pp.17-19.
A.T.S. RO\$GB 981

Khusainov, R.S. et al

Field Studies of the Effect of the Screwing
Torque on the Life of the Threaded Connections
of Downhole Pump Rods.
NEFTEPROM. DELO, 1972, No. 7, pp. 21-5.
A.T.S. RO&GB 983

Sattar-Zade, S.D. et al

Determination of the Transmission Capacity
of Cement-Sand-Salt Filters.
NEFTEPROM. DELO, 1972, No.7, pp.29-31.
A.T.S. RO&GB 986

Kaplan, L.S.

Protection of Downhole Centrifugal Electrical-
ly Driven Pumps from Water.

NEFTEPROM. DELO, 1972, No. 8, pp. 4-6.

A.T.S. RO&GB 988

Rastorguev, M.A. et al

Prevention of Blowouts (Uncontrolled Flows)
in Subsurface Well Repair.

NEFTEPROM. DELO, 1972, No.8, pp.9-12.

A.T.S. ROEGB 990

Kostryukov, G.V. et al

Experimental Arrangement for Determining the
Effect of a Magnetic Field on the Crystalliza-
tion and Deposition of Salts.

NEFTEPROM. DELO, 1972, No.8, pp.13-16.

A.T.S. RO&GB 991

Nizamov, K.R. et al

Preparation of Waste Waters Containing Iron
Salts for Flooding Productive Formations.
NEFTEPROM. DELO, 1972, No. 8, pp.16-19.

A.T.S. RO&GB 992

Koryagin, Yu.G.

Estimation of the Condition of the Bottom Hole
Zone of a Formation with the Aid of a Formation
Tester.

NEFTEPROM. DELO, 1972, No.8, pp.19-22.

A.T.S. RO&GB 993

Li, A.D.

The Advisability of Separate Purification Oil
Field Waste Waters for Infection to the Re-
servoir.

NEFTEPROM. DELO, 1972, No.8, pp.22-5.

A.T.S. RO&GB 934

Saakov, Yu.A.

A Study of the Types of Statistical Relationships of Downhole Rod Pump Failures.

NEFTEPROM. DELO, 1972, No.8, pp.25-7.

A.T.S. ROEGB 984

Intyashin, A.D.

Experience in Preparing Crudes in SP-1000 Separator-Preheater Units in the OSA Field.
NEFTEPROM. DELO, 1972, No.8, pp.25-8.

A.T.S. RO&GB 995

Sattarov, U.G. et al

Thermophysical Properties of Crudes and Water-
Oil Emulsions of Tatary.

NEFTEPROM. DELO, 1972, No.8, pp.28-31.

A.T.S. RO&GB 996

Isanbayev, A.G. et al

Finding the Causes of High Dissolved Consumption in the Preparation of Carbonaceous Aromatic Crudes.

NEFTEPROM. DELO, 1972, No.8, pp.31-6.

A.T.S. RO&GB 997

Stepkin, V. I.

Exploration for Petroleum and Gas in the Ukraine
in 1973.

5 pp

NEFTYANNAYA I GAZOVAYA PROMYSHLENNOST', Kiev,
No 1, Jan-Feb 1973, pp 1-3.

JPRS 60105

Vovchanovskiy, I. F.

Superhard 'Slavutich' Drill Bits Prove Themselves in Ukraine.

7 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev,
No 1, 1973, pp 15-17.

JPRS 60190

Vitrik, S. P.

Geologic-Propecting Work for Oil and Gas
Reserves in the Ukraine.

7 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST'. Kiev, No
2, Mar-Apr 1973, pp 1-5.

JPRS 59653

Vitrik, S. P.

Evaluation of the Results and Further Trends in
Geological Exploration Work For Petroleum and Gas
in the Ministry of Geology Ukrainian SSSR.

6 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No 2,
Mar-Apr 74, pp 1-4.

JPRS 62909

Tkach, V. F.

Competition to Increase Ukrainian Natural Gas
Recovery.

5 pp

NEFTYANAYA I GAZOVAYA PROMYSHLENNOST', Kiev, No 3,
May-Jun 74, pp 45-48.

JPRS 63030

NORTHERN AND WINTER OILS FOR DIESEL ENGINES

BELYANCHIKOV, G LANGUAGE--RU COUNTRY--UR

NEFTYANIK, NO. 6 1972, PP. 11-13

FSTC-HT-23-1542-73

Bray, I.

Collection of Re-Usable Oil Products in the
RSFSR Described.

6 pp

NAFTYANIK, Moscow, No 5, May 1973, pp 8-10

JPRS 59408

Filippov, N.

Oil-Well Fire Simulated Realistically for Study
Purposes.

5 pp

NEFTYANIK, Moscow, No 7, July 1973, pp 34-36.

JPRS 59876

Smirnov, V.

The Petroleum Industry of the Nation is on the
Rise.

12 pp

NEFTYANIK, Moscow, No 9, Sept 1973, pp 1-5.

JPRS 60748

RUSSIAN

CSO: 8144/1488

13 Feb. 1974

*complete
PRS-61591
22 pp*
Petroleum Specialist, by A. Amiyan, V. Vasil'yev,
et al.

Moscow, Neftyanik, Jan. 1974, No 1, page 4-6, 8-11,
29, 36-39.

Please publish

Zaytseva, R.

Competition Among Petroleum Workers.

6 pp

NEFTYANIK, Moscow, No 2, Feb 1974, pp 1-3.

JPRS 61689

Smirnov, V.

Minister of Petroleum Industry Comments on Future
Prospects.

6 pp

NEFTYANIK, Moscow, No 3, Mar 74, pp 3-6.

JPRS 62368

Shadrin, L.

Moscow Exhibit of American Oilfield Equipment.

5 pp

NEFTYANIK, Moscow, No 3, Mar 1974, pp 21-23.

JPRS 62354

Conference of Petroleum Industry Workers.

9 pp

NEFTYANIK, Moscow, No 4, Apr 74, pp 1-4.

JPRS 62298

Development of the Soviet Petroleum Industry.

8 pp

NEFTYANIK, Moscow, No 5, May 74, pp 1-4.

JPRS 62376

Petroleum Production and Plans Discussed.
9 pp

NEFTYANIK, Moscow, No 6, June 74, pp 2-3.
JPRS 62518

Semerikov, V.

Tatar-Tyumen' Oilfield Competition for 1974
Described.

5 pp

NETTYANKA, Moscow, No 7, Jul 74, pp 1-2.

JPRS 62935

KUTYAKHOV, P. I.
//NEFTIANE KHOZYAYSTVO//
---/---/1956, V---, N0004,
Approximation Method for the Determination of Oil
Reserves in Fractured Rocks,
pp 40-46, NTC 74-20059-06100

Mikhlin, S. I.

Calculation of reserves of timber in forests on the
basis of production of timber,
NEFTYANNE KHOTAYEVTO, No 1, 1912, pp 30-32

NTC-73-21588-081

Mochernyuk, E. Yu.

Calculations for Casing Collapse by External
Hydrostatic Pressure.
NEFT. KHOZ. Vol. 46, No. 2, pp.14-17, 1969.
A.T.S RJ-5984

Piskozub, L. I.

Selection of Computational Formula for Determining Resistance of Casing Pipe to Uniform External Pressure.

NE.T. KHOZ. Vol. 46, No. 2, pp.14-17, 1968.

A.T.S RJ-5985

Izmailov, V.S.

Computational Formula for Determining the Re-
Resistance of Casing Pipe to External Pressure.
NEIT. KMOZ. Vol. 47, No. 12, pp. 28-30, 1969.
A.T.S RJ-5983

Mishchenko, I.I.

Separation of Gas at the Intake of Submersible
Equipment Operating in an Oil Well.
NEFT. KHOZ., Vol. 48, No. 3, pp.52-56, 1970.

A.T.S RJ-5990

Kopylov, V.E.

New Data on Breakdown of Hard Rocks by Diamond
Tools at High Diamond Speeds.
NEFT. KH02. Vol. 48, No. 5, pp.7-10, 1970.
A.T.S RJ5980

Vaskko, I. A.

Study of the interaction between a non-rotating stepped drill string and the bottom and walls of the well.

NEFTYANOE KHOZYAISTVO, v. 49, n. 8,
p. 7-10, 1971.

ATS 79A129R

Simkin, E. M.

Calculation of temperature, pressure, and
saturation in a fractured reservoir subjected to
steam injection.

NEFTYANOE KHOZYAISTVO, v. 49, n. 8, p. 46-48, 1971.
ATS 82A129R

GALINAYOV, M. M.
//REFLECTION KONTAINEROV//
--/--/1972, V0050, 00003,
Field Experiment on the Plugging of a Flooded
Stratum with a Gel-Forming Liquid Based on
Polymer Solutions,
pp 67-70, NTC 74-10469-08100

Zil'berman, V.I.

Indications of Approach to Horizons with Abnor
mally High Reservoir Pressure During Drilling
of wells.

NEFT. KH02. Vol. 50, No. 6, pp.12-14, 1972.

A.T.S RJ-5979

Panteleev, G.V.

Determination of Pressure in the Well Bore
without Subsurface Pressure Gages.
NEFT. KHQZ. Vol. 50, No. 6, pp.35-9, 1972.
A.T.S RJ-5978

Korshunov, E.S. et al

Automated System of Drilling Control.

NEFT. KHOZ. Vol. 50, 1972, No.7, pp.1-6.

A.T.S. RU&GB 809

Timofeyev, N.S.

Predicting Possible Drilling Parameters.
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.1-8.
A.T.S. RO&GB 829

Matros, V.N.

The Spread of Water in Partially Invaded Gas
Reservoirs on a Reduction in Pressure.

NEFT. KHOZ. Vol. 50, 1972, pp.7-11., *NO 7*

A.T.S. ROEGB 889

Zemskov, G.V.

The Fatigue Limit of Drill Pipe of Strength
Group D Under Complex Loading.
NEFT. KHOZ. Vol. 50, 1972, No.7, pp.9-11.
A.T.S. RO&GB 811

Simonyants, S.L.

Analytical Determination of the Optimum Parameters of the Turbine of a Turbodrill with Slanted Pressure Lines,
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.11-13.
A.T.S. ROEGB 812

Tsybin, A.A.

The Stressed State of Oval Casing and Cement
Ring in Gas Wells.

NEFT. KH02. Vol. 50, 1972, pp.11-14, No.7

A.T.S RO&GB 890

Rudavskiy, I.E.

The Economic Effectiveness of Ball Thrust-Ra-
dial Multirow Bearings for Turbodrills.
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.14-16.
A.T.S. ROEGB 813

Durmish'yan, G.A.

Withdrawal of condensate During the Creation
of Underground Gas Storage Facilities in De-
pleted Gas Condensate Reservoirs.

NEFT. KHOZ. Vol. 50, 1972, No.7, pp.17-19.

A.T.S RO&GB 891

Tsybin, A.A.

Study of the Stressed State of Oval Pipe Under
External Hydrostatic Pressure.
NEFT KHOZ. Vol. 50, 1972, No. 7, pp.18-21.
A.T.S. RO&GB 815

Loksin, V.Sh

The Proper Shape of Rubber Packing Elements
in Packers.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.21-3.

A.T.S. RO&GB 816

Khanin, I.L. et al

Principal Directions in Improving the Engineering of Oil Field Exploitation in the Kuibyshev district.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.24-30

A.T.S. ROEGB 817

Stepanov, G.S.

Effect of Various Factors on the Recovery Factor for Condensate from a Formation under Gas Injection.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.30-33.

A.T.S. FOEGB 818

Blazhevich, V.A. et al

The Effectiveness of Controlling the Process
of Recovery from Productive Formations.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.33-7.

A.T.S. R)GB 819

Levchenko, I.A. et al

A Set of Geophysical Methods for Monitoring
the Injection of High-Pressure Enriched Gas
in the Klyuchev Field.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.37-42.

A.T.S. ROEGB 820

Bokserman, A.A. et al

Analysis of the Exploitation of Pools of High-Viscosity Crude in the Okha Field Using Thermal Stimulation.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.42-7.

A.T.S. ROGB 821

Tsynkova, O.E.

Lifting Fluid from Wells Using the Resonance
Properties of the Fluid Column.

NEFT. KHOZ. Vol. 50, No. 7, pp.47-51.

A.T.S. ROEGB 822

Zhukov, G.V.

Selection of the Point of Attachment of the
Pump to the Injection Collector,
NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.52-4
A.T.S. ROEGB 823

Dzhafarov, Sh.T. et al

Experience with Adopting Separate Production
in the Uzen Field.

NEFT. KHOZ. Vol. 50, 1972, No. 7, pp.62-5.

A.T.S. ROEGB 827

Voronov, V.N. et al

Suppressing and Bringing in Wells Under Con-
ditions of Reduced Reservoir Pressures.
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.5-8.
A.T.S. RO&GB 093

Sementsov, G.N.

Field Study of the Change in Intensity of Bit
Wear on Power Consumption in Time.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.8-9

A.T.S. RO&GB 830

Solodkiy, K.M. et al

Design of the Bottom Assembly of the Drill
String to Prevent Hole Deviation in Rotary
Drilling.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.10-15

A.T.S. ROGB 831

Kirillov, A.C. et al

Change in Drilling Rate as a Function of Bit
Type.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.18-21.

A.T.S. RO&GB 833

Il'yasov, E.P. et al

Effectiveness of Mud Displacement from Cavities.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.24-8.

A.T.S. ROEGB 838

Mincheva, R.M. et al

Experimental Injection of Water in the Dolni
Dybnik Field in Bulgaria.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.37-40.

A.T.S. RO&GB 838

Mirchink, M.F.

Magnitude of the Volumes of Water Injected
into Inhomogeneous Reservoirs in the Third
Stage of Oil Pool Exploitation.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp40-3.

A.T.S. RO&GB 839

Zhuravlev, I.G.

Calculation of the Reliability of a System
of Gas Wells with a Combination of Failures
and Failures with Restoration.
NEFT. KHOZ. Vol. 50, 1972, No.8, pp.42.
A.T.S. RO&GB 894

Surguchev, M.L.

Optimum Operating Conditions of Injection
Wells During Flooding.

NEFT. KHOZ. Vol. 50, 1972, No. 8, pp.46-9.

A.T.S. RO&GB 841

Kuchernyuk, V.A. et al

Processes for Automatic Monitoring of the
Technological Parameters of Oil Wells.
NEFT. KHOZ. Vol. 50, 1972, No. 8, pp. 50-3.
A.T.S. RO&GB 842

Leibin, E.L. et al

Some Reasons for the Productivity Decrease of
the Wells in the Uzen Field.
NEFT. KHUZ. Vol. 50, 1972, No. 8, pp.53-6.
A.T.S. RO&GB 843

Nechval, M.V. et al

Mixture Formation in the Successive Pumping
of Petroleum Products of Different Viscosity.
NEFT, KHOZ. Vol. 50, 1972, No. 8, pp.57-8.
A.T.S. RO&GB 844

Gubin, V.E.

Transition from Non-Newtonian to Turbulent
Flow in the Flow of Viscoplastic Liquids in
Pipes.

NEFT. KHOZ. Vol. 50, 1972, No.8, pp.59-62.

A.T.S. RO&GB 845

Dugnisty, G.M. et al

Running 324-mm Casing in Well 217 of the Ok-
tyabr'sk Field of the Grozneft Association.
NEFT. KHOZ. Vol. 50, 1972, No.8, pp.63-5.
A.T.S. ROEGB 846